



TOWN of CHEEKTOWAGA

Inflow and Infiltration Application and Inspection Form

Applications will not be processed unless all fees are paid at the time of filing the application

- Residential Property (single building up to three [3] units) \$100.00 inspection fee.
 Commercial Property Total number of buildings on property _____ \$150.00 inspection fee per building.

_____/_____/20 _____ \$ _____ - _____
 Date of Application Received By Amount Paid Permit No.

APPLICANT to COMPLETE the PINK PORTION ONLY!

Owner or Agent _____ must be present at the time of inspection.

Residential Property

- Owner Occupied Rental Single Family Duplex Multiple Apartments Townhouse

Commercial Property

- Industrial Warehouse Mercantile Hotel Office Institutional Restaurant

Applicant's Name _____ Daytime Phone No _____ Cell Phone No. _____

Legal Address of Installation _____ Cheektowaga, NY 14 _____ / ____/20
 Closing Date

Property Owner's Name _____ Daytime Phone No _____ Cell Phone No. _____

Property Owner's Address _____ City _____ State _____ Zip code _____

INSPECTION OBSERVATIONS

Date of Inspection: ____/____/20 Time: ____:____ am pm Inspected By: _____

Exterior Inspection

DOWNSPOUTS YES NO total # discharging below grade _____ total # discharging above grade _____

method of discharge: on ground to sanitary sewer to storm sewer bubbler system unknown

LAWN /YARD CLEAN-OUT YES NO number _____ locations _____

LAWN FRESH AIR INLET YES NO material: plastic cast iron other _____

replace broken or missing cap replace cracked or broken riser low lying trap (visible)

unknown or buried must be raised above grade or sealed at grade air inlet thru building wall

COMMERCIAL PROPERTY parking lot receivers yard drains catch basins roof drains

EXTERIOR INSPECTION RESULTS

- No Corrections Required Corrections Required Re-Inspection Required Dye Test Required

See reverse side for comments and or recommendations to correct any noted issues

TOWN of CHEEKTOWAGA
 Office of Building and Plumbing Inspections
 275 Alexander Avenue Cheektowaga NY 14211

INTERIOR INSPECTION

BASEMENT YES NO visible hung on wall, height above floor _____” not visible buried under floor

SUMP PUMP YES NO

method of discharge: to sanitary sewer to storm sewer exterior grade bubbler system unknown

BASEMENT KITCHEN YES NO number of: food prep sinks _____ dishwashers _____

method of discharge: to sanitary sewer to storm sewer exterior grade bubbler system unknown

LAVATORY FACILITIES YES NO hand wash sinks _____ water closets _____ showers or bath tubs _____

method of discharge: to sanitary sewer to storm sewer exterior grade bubbler system unknown

LAUNDRY TRAY YES NO

method of discharge: to sanitary sewer to storm sewer exterior grade bubbler system unknown

FLOOR DRAIN YES NO number of floor drains _____ location(s) _____

method of discharge: to sanitary sewer to storm sewer exterior grade bubbler system unknown

INTERIOR INSPECTION RESULTS

No Corrections Required Corrections Required Re-Inspection Required Dye Test Required

REQUIRED CORRECTION FOR VIOLATIONS

- It is **required** that all downspouts from the dwelling be disconnected from the existing drainage system which is currently connected to the Town sanitary sewer system. As these connections are in violation of the Sewer Law of the Town of Cheektowaga, an immediate response to correct this violation is required to avoid any future legal action which may be filed against you.
- It is **required** that the sump pump be disconnected from the existing sewer system which is currently connected to the Town sanitary sewer system. As this connection is in violation of the Sewer Law of the Town of Cheektowaga, an immediate response to correct this violation is required to avoid any future legal action which may be filed against you.
- It is **required** that the sump pump discharge be relocated from the existing stationary tubs in the basement. As this connection is in violation of the Sewer Law of the Town of Cheektowaga, an immediate response to correct this violation is required to avoid any future legal action which may be filed against you.
- It is **required** that the existing floor drain be properly connected to the sanitary sewer or sealed to eliminate further inflow from the perimeter drainage system and/or ground water. As this connection is in violation of the Sewer Law of the Town of Cheektowaga, an immediate response to correct this violation is required to avoid any future legal action which may be filed against you.
- It is **required** that all parking lot drains, yard drains and catch basins be disconnected from the existing drainage system which is currently connected to the Town sanitary sewer system. As these connections are in violation of the Sewer Law of the Town of Cheektowaga, an immediate response to correct this violation is required to avoid any future legal action which may be filed against you.

RECOMMENDATIONS FOR THE ELIMINATION OF WATER INFILTRATION


- It is recommended that a control valve be installed if the existing floor drain is connected to the sanitary sewer to eliminate any future sanitary sewer backups.
- It is recommended that a sump pump be installed to prevent and eliminate ground water from entering the basement area.
- Consult a professional to address any further water infiltration concerns.
- It is recommended that water discharged from roof downspouts and the sump pump be directed away from the

NOTES




TOWN of CHEEKTOWAGA

Typical Basement Floor Drain Removal and Replacement Procedure



Typical Floor Drain Condition

SEE REVERSE SIDE FOR TYPICAL REMOVAL AND OPTIONAL CONNECTION PROCEDURES




Floor Drain Removed

Documentation required

for removal at time of Inspection

1. Photo showing expansion plug in place
2. Photo showing stone in place
3. Concrete in place



Optional Connection of Floor Drain

Documentation required

for connection at time of Inspection

1. Photo showing extension in "P" trap and sealed.
2. Floor Drain connected to extension and floor repaired.